

CONSORT-EHEALTH (V 1.6.1) - Submission/Publication Form

The CONSORT-EHEALTH checklist is intended for authors of randomized trials evaluating web-based and Internet-based applications/interventions, including mobile interventions, electronic games (incl multiplayer games), social media, certain telehealth applications, and other interactive and/or networked electronic applications. Some of the items (e.g. all subitems under item 5 - description of the intervention) may also be applicable for other study designs.

The goal of the CONSORT EHEALTH checklist and guideline is to be

- a) a guide for reporting for authors of RCTs,
- b) to form a basis for appraisal of an ehealth trial (in terms of validity)

CONSORT-EHEALTH items/subitems are MANDATORY reporting items for studies published in the Journal of Medical Internet Research and other journals / scientific societies endorsing the checklist.

Items numbered 1., 2., 3., 4a., 4b etc are original CONSORT or CONSORT-NPT (non-pharmacologic treatment) items.

Items with Roman numerals (i., ii, iii, iv etc.) are CONSORT-EHEALTH extensions/clarifications.

As the CONSORT-EHEALTH checklist is still considered in a formative stage, we would ask that you also RATE ON A SCALE OF 1-5 how important/useful you feel each item is FOR THE PURPOSE OF THE CHECKLIST and reporting guideline (optional).

Mandatory reporting items are marked with a red *.

In the textboxes, either copy & paste the relevant sections from your manuscript into this form - please include any quotes from your manuscript in QUOTATION MARKS, or answer directly by providing additional information not in the manuscript, or elaborating on why the item was not relevant for this study.

YOUR ANSWERS WILL BE PUBLISHED AS A SUPPLEMENTARY FILE TO YOUR PUBLICATION IN JMIR AND ARE CONSIDERED PART OF YOUR PUBLICATION (IF ACCEPTED).

Please fill in these questions diligently. Information will not be copyedited, so please use proper spelling and grammar, use correct capitalization, and avoid abbreviations.

DO NOT FORGET TO SAVE AS PDF _AND_ CLICK THE SUBMIT BUTTON SO YOUR ANSWERS ARE IN OUR DATABASE !!!

Citation Suggestion (if you append the pdf as Appendix we suggest to cite this paper in the caption):

Eysenbach G, CONSORT-EHEALTH Group

CONSORT-EHEALTH: Improving and Standardizing Evaluation Reports of Web-based and Mobile Health Interventions

J Med Internet Res 2011;13(4):e126

URL: <http://www.jmir.org/2011/4/e126/>

doi: 10.2196/jmir.1923



PMID: 22209829

 kwantszho@gmail.com (未分享) [切換帳戶](#)

 已儲存草稿

*必填

Your name *

First Last

Tsz Ho Kwan

Primary Affiliation (short), City, Country *

University of Toronto, Toronto, Canada

Stanley Ho Centre for Emerging Infectious Dis

Your e-mail address *

abc@gmail.com

thkwan@cuhk.edu.hk

Title of your manuscript *

Provide the (draft) title of your manuscript.

User Experience and Usability of Neumorphism and Gamification User Interface Design in an HIV Self-test Referral Programme for Men who have Sex with Men: A Prospective Open-Label Parallel-Group Randomised Controlled Trial



Name of your App/Software/Intervention *

If there is a short and a long/alternate name, write the short name first and add the long name in brackets.

Neumorphism and Gamification User Interface

Evaluated Version (if any)

e.g. "V1", "Release 2017-03-01", "Version 2.0.27913"

您的答案

Language(s) *

What language is the intervention/app in? If multiple languages are available, separate by comma (e.g. "English, French")

Traditional Chinese, English

URL of your Intervention Website or App

e.g. a direct link to the mobile app on app in appstore (itunes, Google Play), or URL of the website. If the intervention is a DVD or hardware, you can also link to an Amazon page.

您的答案

URL of an image/screenshot (optional)

您的答案



Accessibility *

Can an enduser access the intervention presently?

- access is free and open
- access only for special usergroups, not open
- access is open to everyone, but requires payment/subscription/in-app purchases
- app/intervention no longer accessible
- 其他:

Primary Medical Indication/Disease/Condition *

e.g. "Stress", "Diabetes", or define the target group in brackets after the condition, e.g. "Autism (Parents of children with)", "Alzheimers (Informal Caregivers of)"

HIV infection

Primary Outcomes measured in trial *

comma-separated list of primary outcomes reported in the trial

Usability measured by SUS, SEQ and satisfacti

Secondary/other outcomes

Are there any other outcomes the intervention is expected to affect?

Characteristics of participants who gave a promoter-level score, a higher learnability score, and a higher usability score.



Recommended "Dose" *

What do the instructions for users say on how often the app should be used?

- Approximately Daily
- Approximately Weekly
- Approximately Monthly
- Approximately Yearly
- "as needed"
- 其他:

Approx. Percentage of Users (starters) still using the app as recommended after 3 months *

- unknown / not evaluated
- 0-10%
- 11-20%
- 21-30%
- 31-40%
- 41-50%
- 51-60%
- 61-70%
- 71%-80%
- 81-90%
- 91-100%
- 其他:



Overall, was the app/intervention effective? *

- yes: all primary outcomes were significantly better in intervention group vs control
- partly: SOME primary outcomes were significantly better in intervention group vs control
- no statistically significant difference between control and intervention
- potentially harmful: control was significantly better than intervention in one or more outcomes
- inconclusive: more research is needed
- 其他: We did not conclude with one being inferior to another, but rather two

Article Preparation Status/Stage *

At which stage in your article preparation are you currently (at the time you fill in this form)

- not submitted yet - in early draft status
- not submitted yet - in late draft status, just before submission
- submitted to a journal but not reviewed yet
- submitted to a journal and after receiving initial reviewer comments
- submitted to a journal and accepted, but not published yet
- published
- 其他:



Journal *

If you already know where you will submit this paper (or if it is already submitted), please provide the journal name (if it is not JMIR, provide the journal name under "other")

- not submitted yet / unclear where I will submit this
- Journal of Medical Internet Research (JMIR)
- JMIR mHealth and UHealth
- JMIR Serious Games
- JMIR Mental Health
- JMIR Public Health
- JMIR Formative Research
- Other JMIR sister journal
- 其他:

Is this a full powered effectiveness trial or a pilot/feasibility trial? *

- Pilot/feasibility
- Fully powered

Manuscript tracking number *

If this is a JMIR submission, please provide the manuscript tracking number under "other" (The ms tracking number can be found in the submission acknowledgement email, or when you login as author in JMIR. If the paper is already published in JMIR, then the ms tracking number is the four-digit number at the end of the DOI, to be found at the bottom of each published article in JMIR)

- no ms number (yet) / not (yet) submitted to / published in JMIR
- 其他: 35869

TITLE AND ABSTRACT



1a) TITLE: Identification as a randomized trial in the title

1a) Does your paper address CONSORT item 1a? *

I.e does the title contain the phrase "Randomized Controlled Trial"? (if not, explain the reason under "other")

- yes
- 其他:

1a-i) Identify the mode of delivery in the title

Identify the mode of delivery. Preferably use "web-based" and/or "mobile" and/or "electronic game" in the title. Avoid ambiguous terms like "online", "virtual", "interactive". Use "Internet-based" only if Intervention includes non-web-based Internet components (e.g. email), use "computer-based" or "electronic" only if offline products are used. Use "virtual" only in the context of "virtual reality" (3-D worlds). Use "online" only in the context of "online support groups". Complement or substitute product names with broader terms for the class of products (such as "mobile" or "smart phone" instead of "iphone"), especially if the application runs on different platforms.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 1a-i? *

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"User Experience and Usability of Neumorphism and Gamification User Interface Design in an HIV Self-test Referral Programme"



1a-ii) Non-web-based components or important co-interventions in title

Mention non-web-based components or important co-interventions in title, if any (e.g., "with telephone support").

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 1a-ii?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

1a-iii) Primary condition or target group in the title

Mention primary condition or target group in the title, if any (e.g., "for children with Type I Diabetes")
Example: A Web-based and Mobile Intervention with Telephone Support for Children with Type I Diabetes: Randomized Controlled Trial

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 1a-iii? *

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Men who have Sex with Men"

1b) ABSTRACT: Structured summary of trial design, methods, results, and conclusions

NPT extension: Description of experimental treatment, comparator, care providers, centers, and blinding status.



1b-i) Key features/functionalities/components of the intervention and comparator in the METHODS section of the ABSTRACT

Mention key features/functionalities/components of the intervention and comparator in the abstract. If possible, also mention theories and principles used for designing the site. Keep in mind the needs of systematic reviewers and indexers by including important synonyms. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important essential

Does your paper address subitem 1b-i? *

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"A prospective parallel-group open-label randomised controlled trial was conducted in Hong Kong. Eligible participants were adult MSM recruited by the Research Team or referred by enrolled participants, who followed instructions for performing HIV self-test and promoted its use within one's social network. Participants were randomised in a 1:1 ratio into either Gamification or Neumorphism arm with primarily visual differences in the UI only."

1b-ii) Level of human involvement in the METHODS section of the ABSTRACT

Clarify the level of human involvement in the abstract, e.g., use phrases like "fully automated" vs. "therapist/nurse/care provider/physician-assisted" (mention number and expertise of providers involved, if any). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important essential



Does your paper address subitem 1b-ii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

1b-iii) Open vs. closed, web-based (self-assessment) vs. face-to-face assessments in the METHODS section of the ABSTRACT

Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic or a closed online user group (closed usergroup trial), and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment). Clearly say if outcomes were self-assessed through questionnaires (as common in web-based trials). Note: In traditional offline trials, an open trial (open-label trial) is a type of clinical trial in which both the researchers and participants know which treatment is being administered. To avoid confusion, use "blinded" or "unblinded" to indicated the level of blinding instead of "open", as "open" in web-based trials usually refers to "open access" (i.e. participants can self-enrol). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 1b-iii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

1b-iv) RESULTS section in abstract must contain use data

Report number of participants enrolled/assessed in each group, the use/uptake of the intervention (e.g., attrition/adherence metrics, use over time, number of logins etc.), in addition to primary/secondary outcomes. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				



Does your paper address subitem 1b-iv?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

1b-v) CONCLUSIONS/DISCUSSION in abstract for negative trials

Conclusions/Discussions in abstract for negative trials: Discuss the primary outcome - if the trial is negative (primary outcome not changed), and the intervention was not used, discuss whether negative results are attributable to lack of uptake and discuss reasons. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important essential

Does your paper address subitem 1b-v?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

INTRODUCTION

2a) In INTRODUCTION: Scientific background and explanation of rationale



2a-i) Problem and the type of system/solution

Describe the problem and the type of system/solution that is object of the study: intended as stand-alone intervention vs. incorporated in broader health care program? Intended for a particular patient population? Goals of the intervention, e.g., being more cost-effective to other interventions, replace or complement other solutions? (Note: Details about the intervention are provided in "Methods" under 5)

1 2 3 4 5

subitem not at all important essential

Does your paper address subitem 2a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Digital technology has been leveraged as an innovative approach to improve health in different settings, especially in human immunodeficiency virus (HIV) care and prevention. It was used for promoting HIV testing by the use of specially designed Apps targeting the men who have sex with men (MSM) community [1], monitoring adherence of medication intake [2], and providing HIV prevention materials to the community [3]. A qualitative study showed that ease of operation is an important factor for MSM to use and keep using such apps [4]. This is in line with concepts of the theoretical framework in Technology Acceptance Model, that perceived ease of use and usefulness contributed to one's intention to use the technology [5]. Perception of ease of use is underpinned by user interface (UI) design, such that poor visual design could negatively affect the user experience (UX) and create usage challenges [6]. Therefore, UI design is one of the key elements influencing usability of a digital intervention [7]."

2a-ii) Scientific background, rationale: What is known about the (type of) system

Scientific background, rationale: What is known about the (type of) system that is the object of the study (be sure to discuss the use of similar systems for other conditions/diagnoses, if appropriate), motivation for the study, i.e. what are the reasons for and what is the context for this specific study, from which stakeholder viewpoint is the study performed, potential impact of findings [2]. Briefly justify the choice of the comparator.

1 2 3 4 5

subitem not at all important essential



Does your paper address subitem 2a-ii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"There are plenty of models and styles in UI design, a popular one being gamification. Gamification is the application of video game elements in non-gaming contexts to enhance user experience [8]. It has been applied in improving drug adherence in rheumatoid arthritis patients [9] and in supporting clinical decision-making [10]. Effectiveness of gamification has been shown in promoting health among MSM. A previous study found that the gamified mobile app could improve their HIV knowledge and confidence in adherence to HIV medications [11]. The positive effect of gamification was markedly higher in regular users [12]. With rewards like badges, credit points, and actual prizes, and social elements such as leaderboards, these elements in the gamified experience were not just acceptable to MSM, but could also motivate them to engage in the promotional activities [13]. On the other hand, a new UI design style, neumorphism or soft UI, emerged in the late 2019, which was introduced by Alexander Plyuto [14]. It is a simplistic version of skeuomorphism which was widely used in the past to imitate a real-world physical object in the UI. Neumorphism simplifies skeuomorphism by making use of light and dark shadows to accentuate the UI element from its background with the same colour while capturing the realistic form of the object [16]. The combination of realistic element and the simplistic design can offer an interactive and tactile UX [17]. "

2b) In INTRODUCTION: Specific objectives or hypotheses

Does your paper address CONSORT subitem 2b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The two UI design styles of gamification and neumorphism were visually distinctive, leading us to hypothesise that different groups of MSM may be in favour of either design. Against these backgrounds, we aimed to assess the differential impact on UX and usability with gamification and neumorphism UI design styles in a web application developed for promoting HIV self-testing to MSM. "

METHODS



3a) Description of trial design (such as parallel, factorial) including allocation ratio

Does your paper address CONSORT subitem 3a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"This is a prospective parallel-group open-label randomised controlled study."

"Block randomisation was adopted with a block size of 4 and an allocation ratio of 1:1 using a computer-generated list concealed in the server-side codes in the web application. With a sample size of 400, a mean difference in acceptance score of 1% could be detected at an assumed standard deviation of 10% between two arms."

3b) Important changes to methods after trial commencement (such as eligibility criteria), with reasons

Does your paper address CONSORT subitem 3b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No important changes to methods after trial commencement are noted.

3b-i) Bug fixes, Downtimes, Content Changes

Bug fixes, Downtimes, Content Changes: ehealth systems are often dynamic systems. A description of changes to methods therefore also includes important changes made on the intervention or comparator during the trial (e.g., major bug fixes or changes in the functionality or content) (5-iii) and other "unexpected events" that may have influenced study design such as staff changes, system failures/downtimes, etc. [2].

subitem not at all important 1 2 3 4 5 essential



Does your paper address subitem 3b-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

4a) Eligibility criteria for participants

Does your paper address CONSORT subitem 4a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Through a social network approach, enrolled eligible participants were male who ever had sex with another men, aged 18 years or above, who were either referred by another participant in the study or recruited by the Research Team as seed. Exclusion criteria were inability to communicate in written English or Chinese. "

4a-i) Computer / Internet literacy

Computer / Internet literacy is often an implicit "de facto" eligibility criterion - this should be explicitly clarified.

1 2 3 4 5

subitem not at all important essential

Does your paper address subitem 4a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案



4a-ii) Open vs. closed, web-based vs. face-to-face assessments:

Open vs. closed, web-based vs. face-to-face assessments: Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic, and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment), i.e., to what degree got the study team to know the participant. In online-only trials, clarify if participants were quasi-anonymous and whether having multiple identities was possible or whether technical or logistical measures (e.g., cookies, email confirmation, phone calls) were used to detect/prevent these.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 4a-ii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Through a social network approach, enrolled eligible participants were male who ever had sex with another men, aged 18 years or above, who were either referred by another participant in the study or recruited by the Research Team as seed. "

"The participants were randomised into either neumorphism or gamification UI arm with the unified objective of undertaking a free HIV self-test using oral fluid or blood at one's will. The differences in the two arms are related to the UI only, which was primarily visual. "

4a-iii) Information giving during recruitment

Information given during recruitment. Specify how participants were briefed for recruitment and in the informed consent procedures (e.g., publish the informed consent documentation as appendix, see also item X26), as this information may have an effect on user self-selection, user expectation and may also bias results.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				



Does your paper address subitem 4a-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

4b) Settings and locations where the data were collected

Does your paper address CONSORT subitem 4b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The study was conducted in Hong Kong where MSM accounted for a majority of new HIV infections in the past decade [17]. "

4b-i) Report if outcomes were (self-)assessed through online questionnaires

Clearly report if outcomes were (self-)assessed through online questionnaires (as common in web-based trials) or otherwise.

subitem not at all important 1 2 3 4 5 essential

Does your paper address subitem 4b-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The questionnaire contained demographics, sex networking characteristics including self-perceived and preferences of sex partners' body image types [18-19], history of sexual behaviour, sex networking, and HIV testing, preferences of self-tests, and 17 questions on HIV-related knowledge. "



4b-ii) Report how institutional affiliations are displayed

Report how institutional affiliations are displayed to potential participants [on ehealth media], as affiliations with prestigious hospitals or universities may affect volunteer rates, use, and reactions with regards to an intervention. (Not a required item – describe only if this may bias results)

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 4b-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

5) The interventions for each group with sufficient details to allow replication, including how and when they were actually administered

5-i) Mention names, credential, affiliations of the developers, sponsors, and owners

Mention names, credential, affiliations of the developers, sponsors, and owners [6] (if authors/evaluators are owners or developer of the software, this needs to be declared in a "Conflict of interest" section or mentioned elsewhere in the manuscript).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 5-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案



5-ii) Describe the history/development process

Describe the history/development process of the application and previous formative evaluations (e.g., focus groups, usability testing), as these will have an impact on adoption/use rates and help with interpreting results.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 5-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

5-iii) Revisions and updating

Revisions and updating. Clearly mention the date and/or version number of the application/intervention (and comparator, if applicable) evaluated, or describe whether the intervention underwent major changes during the evaluation process, or whether the development and/or content was "frozen" during the trial. Describe dynamic components such as news feeds or changing content which may have an impact on the replicability of the intervention (for unexpected events see item 3b).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 5-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案



5-iv) Quality assurance methods

Provide information on quality assurance methods to ensure accuracy and quality of information provided [1], if applicable.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 5-iv?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

5-v) Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used

Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used. Replicability (i.e., other researchers should in principle be able to replicate the study) is a hallmark of scientific reporting.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 5-v?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案



5-vi) Digital preservation

Digital preservation: Provide the URL of the application, but as the intervention is likely to change or disappear over the course of the years; also make sure the intervention is archived (Internet Archive, webcitation.org, and/or publishing the source code or screenshots/videos alongside the article). As pages behind login screens cannot be archived, consider creating demo pages which are accessible without login.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 5-vi?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

5-vii) Access

Access: Describe how participants accessed the application, in what setting/context, if they had to pay (or were paid) or not, whether they had to be a member of specific group. If known, describe how participants obtained "access to the platform and Internet" [1]. To ensure access for editors/reviewers/readers, consider to provide a "backdoor" login account or demo mode for reviewers/readers to explore the application (also important for archiving purposes, see vi).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				



Does your paper address subitem 5-vii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Through a social network approach, enrolled eligible participants were male who ever had sex with another men, aged 18 years or above, who were either referred by another participant in the study or recruited by the Research Team as seed."

"Block randomisation was adopted with a block size of 4 and an allocation ratio of 1:1 using a computer-generated list concealed in the server-side codes in the web application. "

"The study procedures remained the same between two arms, namely questionnaire, test kit request, test result upload, online training, and peer referral. "

5-viii) Mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework

Describe mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework [6] used to design them (instructional strategy [1], behaviour change techniques, persuasive features, etc., see e.g., [7, 8] for terminology). This includes an in-depth description of the content (including where it is coming from and who developed it) [1]," whether [and how] it is tailored to individual circumstances and allows users to track their progress and receive feedback" [6]. This also includes a description of communication delivery channels and – if computer-mediated communication is a component – whether communication was synchronous or asynchronous [6]. It also includes information on presentation strategies [1], including page design principles, average amount of text on pages, presence of hyperlinks to other resources, etc. [1].

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				



Does your paper address subitem 5-viii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The participants were randomised into either neumorphism or gamification UI arm with the unified objective of undertaking a free HIV self-test using oral fluid or blood at one's will. The differences in the two arms are related to the UI only, which was primarily visual. In the neumorphism arm, in term of form elements, the buttons and frames are in the neumorphism style, while checkboxes and radio buttons remained browser default to balance readability and identification of form elements (Supplementary File 1). A monochromatic colour scheme was adopted in compliance with the neumorphism design style. To enrich a gamified user experience, the process table in the neumorphic design was replaced by a badge board, and a story background was created (Figure 1). Each of the pages in the gamification arm had a unique backdrop simulating different places in a role-playing game. The profile and questionnaire pages were forest in daytime and at night, respectively. The test kit request and result upload pages depicted a sword to be picked from the soil and items to be devoted in a shrine. While training was illustrated as a magical book, the backdrop on the referral page was a tavern. The incentive redemption page was assimilated as a reward bestowed by the Crown. The study procedures remained the same between two arms, namely questionnaire, test kit request, test result upload, online training, and peer referral. "

5-ix) Describe use parameters

Describe use parameters (e.g., intended "doses" and optimal timing for use). Clarify what instructions or recommendations were given to the user, e.g., regarding timing, frequency, heaviness of use, if any, or was the intervention used ad libitum.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 5-ix?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案



5-x) Clarify the level of human involvement

Clarify the level of human involvement (care providers or health professionals, also technical assistance) in the e-intervention or as co-intervention (detail number and expertise of professionals involved, if any, as well as “type of assistance offered, the timing and frequency of the support, how it is initiated, and the medium by which the assistance is delivered”. It may be necessary to distinguish between the level of human involvement required for the trial, and the level of human involvement required for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 5-x?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

5-xi) Report any prompts/reminders used

Report any prompts/reminders used: Clarify if there were prompts (letters, emails, phone calls, SMS) to use the application, what triggered them, frequency etc. It may be necessary to distinguish between the level of prompts/reminders required for the trial, and the level of prompts/reminders for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 5-xi? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Prompts are not part of the study.



5-xii) Describe any co-interventions (incl. training/support)

Describe any co-interventions (incl. training/support): Clearly state any interventions that are provided in addition to the targeted eHealth intervention, as ehealth intervention may not be designed as stand-alone intervention. This includes training sessions and support [1]. It may be necessary to distinguish between the level of training required for the trial, and the level of training for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1 2 3 4 5

subitem not at all important essential

Does your paper address subitem 5-xii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No co-interventions were given outside of the RCT.

6a) Completely defined pre-specified primary and secondary outcome measures, including how and when they were assessed



Does your paper address CONSORT subitem 6a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The primary outcome of the study was the usability of the web application measured by the System Usability Scale (SUS) [20] and the Single Ease Question (SEQ) [21] and the satisfaction of the UI design of the two styles. SEQ was used after each task throughout the study, whereas SUS was only displayed after test result upload and peer referral. Participants were free to fill out these scales without obstruction to the main study procedure. Akin to SUS, an additional question, "I am satisfied with the system interface design", in a scale of 1 (strongly disagree) to 5 (strongly agree) was used to assess participants' acceptance on the UI (UI score). For individual SUS items, a score of at least 4 out of 5 was considered a positive response; whereas for SEQ a score of 5 or higher in the scale of 7 was regarded positive. Overall SUS score was calculated according to the standard by inverting responses in even number questions then multiplying the scores by 2.5. Previous research showed that an SUS score of 68 is average [22], 71 is acceptable [23] or "good" [24] and 80 indicates a user is willing to promote the product or system to a friend [21]. In the analysis, we adopted the latter two thresholds as the definition of acceptance and participation as promoter of the system, respectively. Two sub-scale scores were derived from SUS by separating items 4 and 10 from the remainder to form the learnability and usability scores, respectively; the same threshold was used. "

6a-i) Online questionnaires: describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed

If outcomes were obtained through online questionnaires, describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed [9].

1 2 3 4 5

subitem not at all important essential

Does your paper address subitem 6a-i?

Copy and paste relevant sections from manuscript text

您的答案



6a-ii) Describe whether and how “use” (including intensity of use/dosage) was defined/measured/monitored

Describe whether and how “use” (including intensity of use/dosage) was defined/measured/monitored (logins, logfile analysis, etc.). Use/adoption metrics are important process outcomes that should be reported in any ehealth trial.

1 2 3 4 5

subitem not at all important essential

Does your paper address subitem 6a-ii?

Copy and paste relevant sections from manuscript text

您的答案

6a-iii) Describe whether, how, and when qualitative feedback from participants was obtained

Describe whether, how, and when qualitative feedback from participants was obtained (e.g., through emails, feedback forms, interviews, focus groups).

1 2 3 4 5

subitem not at all important essential

Does your paper address subitem 6a-iii?

Copy and paste relevant sections from manuscript text

您的答案

6b) Any changes to trial outcomes after the trial commenced, with reasons



Does your paper address CONSORT subitem 6b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No changes to trial outcomes after the trial commenced were noted.

7a) How sample size was determined

NPT: When applicable, details of whether and how the clustering by care provides or centers was addressed

7a-i) Describe whether and how expected attrition was taken into account when calculating the sample size

Describe whether and how expected attrition was taken into account when calculating the sample size.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 7a-i?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

7b) When applicable, explanation of any interim analyses and stopping guidelines



Does your paper address CONSORT subitem 7b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The differences in the two UI designs do not pose additional harms or risks to the participants. Yet continued monitoring was in place and a hotline was operating in case of issues encountered by the participants.

8a) Method used to generate the random allocation sequence

NPT: When applicable, how care providers were allocated to each trial group

Does your paper address CONSORT subitem 8a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Block randomisation was adopted with a block size of 4 and an allocation ratio of 1:1 using a computer-generated list concealed in the server-side codes in the web application. "

8b) Type of randomisation; details of any restriction (such as blocking and block size)

Does your paper address CONSORT subitem 8b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Block randomisation was adopted with a block size of 4 and an allocation ratio of 1:1 using a computer-generated list concealed in the server-side codes in the web application. "

9) Mechanism used to implement the random allocation sequence (such as sequentially numbered containers), describing any steps taken to conceal the sequence until interventions were assigned



Does your paper address CONSORT subitem 9? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Block randomisation was adopted with a block size of 4 and an allocation ratio of 1:1 using a computer-generated list concealed in the server-side codes in the web application. "

10) Who generated the random allocation sequence, who enrolled participants, and who assigned participants to interventions

Does your paper address CONSORT subitem 10? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Block randomisation was adopted with a block size of 4 and an allocation ratio of 1:1 using a computer-generated list concealed in the server-side codes in the web application. "

11a) If done, who was blinded after assignment to interventions (for example, participants, care providers, those assessing outcomes) and how

NPT: Whether or not administering co-interventions were blinded to group assignment

11a-i) Specify who was blinded, and who wasn't

Specify who was blinded, and who wasn't. Usually, in web-based trials it is not possible to blind the participants [1, 3] (this should be clearly acknowledged), but it may be possible to blind outcome assessors, those doing data analysis or those administering co-interventions (if any).

subitem not at all important 1 2 3 4 5 essential



Does your paper address subitem 11a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"This is a prospective parallel-group open-label randomised controlled study. "

11a-ii) Discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator"

Informed consent procedures (4a-ii) can create biases and certain expectations - discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator".

1 2 3 4 5

subitem not at all important essential

Does your paper address subitem 11a-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

11b) If relevant, description of the similarity of interventions

(this item is usually not relevant for ehealth trials as it refers to similarity of a placebo or sham intervention to a active medication/intervention)



Does your paper address CONSORT subitem 11b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The differences in the two arms are related to the UI only, which was primarily visual. In the neumorphism arm, in term of form elements, the buttons and frames are in the neumorphism style, while checkboxes and radio buttons remained browser default to balance readability and identification of form elements (Supplementary File 1). "

"The study procedures remained the same between two arms, namely questionnaire, test kit request, test result upload, online training, and peer referral. "

12a) Statistical methods used to compare groups for primary and secondary outcomes

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed

Does your paper address CONSORT subitem 12a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Scores of UI, individual SUS items, SUS main scale and sub-scales, and SEQ at different stages were compared between two arms and other participant attributes and sex networking characteristics using Mann-Whitney U test. With an overarching aim to examine the willingness of referring peers to undergo self-testing, the SUS scores were dichotomised by the promoter level threshold and associated factors were identified per arm by univariable and multivariable logistic regression models. The analyses and reporting of the results followed the CONSORT [25] guidelines. This study is registered in ClinicalTrials.gov (ID: NCT04379206). All analyses were conducted in R."



12a-i) Imputation techniques to deal with attrition / missing values

Imputation techniques to deal with attrition / missing values: Not all participants will use the intervention/comparator as intended and attrition is typically high in ehealth trials. Specify how participants who did not use the application or dropped out from the trial were treated in the statistical analysis (a complete case analysis is strongly discouraged, and simple imputation techniques such as LOCF may also be problematic [4]).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 12a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Participants who did not return their HIV self-test results/proceeded to the online training were not analysed in the respective analyses. For example: "Promoters giving at least 80 marks in the SUS scale at test result upload (52%) were more likely to have passed the online training, made a peer referral, used social media for sex networking, used pre-exposure prophylaxis (PrEP) for HIV prevention when having condomless anal intercourse (CLAI) with known male sex partners, and given a higher UI score ($P < .05$). " and "The median SUS score given at test result upload was 80.00 (IQR 70.00-90.00) with a median learnability and usability score of 87.50 (IQR 62.50-100.00) and 78.12 (IQR 68.75-90.62), respectively."

12b) Methods for additional analyses, such as subgroup analyses and adjusted analyses



Does your paper address CONSORT subitem 12b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Scores of UI, individual SUS items, SUS main scale and sub-scales, and SEQ at different stages were compared between two arms and other participant attributes and sex networking characteristics using Mann-Whitney U test. With an overarching aim to examine the willingness of referring peers to undergo self-testing, the SUS scores were dichotomised by the promoter level threshold and associated factors were identified per arm by univariable and multivariable logistic regression models. The analyses and reporting of the results followed the CONSORT [25] guidelines. This study is registered in ClinicalTrials.gov (ID: NCT04379206). All analyses were conducted in R."

X26) REB/IRB Approval and Ethical Considerations [recommended as subheading under "Methods"] (not a CONSORT item)

X26-i) Comment on ethics committee approval

1 2 3 4 5

subitem not at all important essential

Does your paper address subitem X26-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案



x26-ii) Outline informed consent procedures

Outline informed consent procedures e.g., if consent was obtained offline or online (how? Checkbox, etc.), and what information was provided (see 4a-ii). See [6] for some items to be included in informed consent documents.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem X26-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

X26-iii) Safety and security procedures

Safety and security procedures, incl. privacy considerations, and any steps taken to reduce the likelihood or detection of harm (e.g., education and training, availability of a hotline)

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem X26-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

RESULTS



13a) For each group, the numbers of participants who were randomly assigned, received intended treatment, and were analysed for the primary outcome

NPT: The number of care providers or centers performing the intervention in each group and the number of patients treated by each care provider in each center

Does your paper address CONSORT subitem 13a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Totally 463 MSM have registered in the study between 1 March 2021 and 12 May 2021, of whom 232 and 231 were assigned to the Gamification and Neumorphism arm, respectively (Figure 2). "

13b) For each group, losses and exclusions after randomisation, together with reasons

Does your paper address CONSORT subitem 13b? (NOTE: Preferably, this is shown in a CONSORT flow diagram) *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Figure 2

13b-i) Attrition diagram

Strongly recommended: An attrition diagram (e.g., proportion of participants still logging in or using the intervention/comparator in each group plotted over time, similar to a survival curve) or other figures or tables demonstrating usage/dose/engagement.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				



Does your paper address subitem 13b-i?

Copy and paste relevant sections from the manuscript or cite the figure number if applicable (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

14a) Dates defining the periods of recruitment and follow-up

Does your paper address CONSORT subitem 14a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Totally 463 MSM have registered in the study between 1 March 2021 and 12 May 2021, of whom 232 and 231 were assigned to the Gamification and Neumorphism arm, respectively (Figure 2). "

14a-i) Indicate if critical "secular events" fell into the study period

Indicate if critical "secular events" fell into the study period, e.g., significant changes in Internet resources available or "changes in computer hardware or Internet delivery resources"

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 14a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案



14b) Why the trial ended or was stopped (early)

Does your paper address CONSORT subitem 14b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The trial did not end early.

15) A table showing baseline demographic and clinical characteristics for each group

NPT: When applicable, a description of care providers (case volume, qualification, expertise, etc.) and centers (volume) in each group

Does your paper address CONSORT subitem 15? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Table 1. Participants' characteristics (N=434).

15-i) Report demographics associated with digital divide issues

In ehealth trials it is particularly important to report demographics associated with digital divide issues, such as age, education, gender, social-economic status, computer/Internet/ehealth literacy of the participants, if known.

1 2 3 4 5

subitem not at all important essential



Does your paper address subitem 15-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Table 1. Participants' characteristics (N=434).

16) For each group, number of participants (denominator) included in each analysis and whether the analysis was by original assigned groups

16-i) Report multiple "denominators" and provide definitions

Report multiple "denominators" and provide definitions: Report N's (and effect sizes) "across a range of study participation [and use] thresholds" [1], e.g., N exposed, N consented, N used more than x times, N used more than y weeks, N participants "used" the intervention/comparator at specific pre-defined time points of interest (in absolute and relative numbers per group). Always clearly define "use" of the intervention.

subitem not at all important 1 2 3 4 5 essential

Does your paper address subitem 16-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Totally 463 MSM have registered in the study between 1 March 2021 and 12 May 2021, of whom 232 and 231 were assigned to the Gamification and Neumorphism arm, respectively (Figure 2). After excluding 21 subjects who had not completed the questionnaire and 8 who failed to request a self-test kit, data from 434 participants were analysed. "

This is a one-off intervention.



16-ii) Primary analysis should be intent-to-treat

Primary analysis should be intent-to-treat, secondary analyses could include comparing only "users", with the appropriate caveats that this is no longer a randomized sample (see 18-i).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 16-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

17a) For each primary and secondary outcome, results for each group, and the estimated effect size and its precision (such as 95% confidence interval)

Does your paper address CONSORT subitem 17a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Participants in the Neumorphism arm gave a higher SUS score than those in the Gamification arm (median 82.5 vs 77.5, or "Excellent" vs "Good" using the adjective rating scale [24], $P=.0002$), and more participants in the Neumorphism arm gave an acceptance level ($P<.0001$) and a promoter level ($P=.0023$) (Table 5). Learnability score was similar between two arms, therefore the differences in scores of SUS items 4 and 10 were both insignificant. On the other hand, the usability score was higher in the Neumorphism arm ($P<.0001$). The proportions of participants who were satisfied with the UI ($P=.010$) and agreed to all positively worded statements in SUS, except for item 9 on confidence in system use, were higher in the Neumorphism arm ($P<.01$)."

Table 5.



17a-i) Presentation of process outcomes such as metrics of use and intensity of use

In addition to primary/secondary (clinical) outcomes, the presentation of process outcomes such as metrics of use and intensity of use (dose, exposure) and their operational definitions is critical. This does not only refer to metrics of attrition (13-b) (often a binary variable), but also to more continuous exposure metrics such as "average session length". These must be accompanied by a technical description how a metric like a "session" is defined (e.g., timeout after idle time) [1] (report under item 6a).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 17a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

17b) For binary outcomes, presentation of both absolute and relative effect sizes is recommended

Does your paper address CONSORT subitem 17b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Promoters giving at least 80 marks in the SUS scale at test result upload (52%) were more likely to have passed the online training, made a peer referral, used social media for sex networking, used pre-exposure prophylaxis (PrEP) for HIV prevention when having condomless anal intercourse (CLAI) with known male sex partners, and given a higher UI score ($P < .05$). They were also more confident in using the self-test ($P < .001$), while preferring no assistance for the self-test ($P = .0012$), and had requested an oral fluid self-test ($P = .039$) (Table 4). While promoters did not give more correct answers in HIV-related knowledge, non-promoters were more likely to wrongfully consider blood donation an appropriate way for HIV screening in the HIV-related knowledge assessment (odds ratio [OR] 2.57, 95% CI 1.33-4.95, $P = .014$). They also gave a higher SEQ score after test kit request, result upload, online training, and peer referral ($P < .01$). "

Table 4.



18) Results of any other analyses performed, including subgroup analyses and adjusted analyses, distinguishing pre-specified from exploratory

Does your paper address CONSORT subitem 18? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"To identify the distinct characteristics associated with a promoter-level SUS score with gamified and neumorphism design, respectively, sub-group analyses were performed (Figure 3). Promoters in the Gamification arm were more likely to prefer sex partners to be of "meaty", "hairy", or "bear" body image types, request for an oral fluid test, and give a higher SEQ score at peer referral ($P < .05$). They were also less likely to give a wrong answer in some HIV-related knowledge questions ($P < .05$), and more likely to use PrEP when having CLAI with known sex partners ($P = .0091$), and pass the online training ($P = .039$). Neumorphism arm promoters were more likely to give a higher SEQ score at test kit request ($P = .00093$) and be referred from channels other than instant messaging apps ($P = .024$). Multivariable logistic regression model showed that, other than a high UI ($P < .0001$) and SEQ ($P = .022$) score, promoters in the Gamification arm were more likely to request an oral fluid test ($P = .0016$), prefer a "bear" type partner ($P = .016$), and be confident in collecting blood samples ($P = .0028$), while those in the Neumorphism arm gave a higher SEQ score at result upload ($P = .00053$) and were confident in performing the self-test ($P = .00024$)."

Figure 3.

18-i) Subgroup analysis of comparing only users

A subgroup analysis of comparing only users is not uncommon in ehealth trials, but if done, it must be stressed that this is a self-selected sample and no longer an unbiased sample from a randomized trial (see 16-iii).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 18-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案



19) All important harms or unintended effects in each group

(for specific guidance see CONSORT for harms)

Does your paper address CONSORT subitem 19? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No harms or unintended effects were noted.

19-i) Include privacy breaches, technical problems

Include privacy breaches, technical problems. This does not only include physical "harm" to participants, but also incidents such as perceived or real privacy breaches [1], technical problems, and other unexpected/unintended incidents. "Unintended effects" also includes unintended positive effects [2].

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 19-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

19-ii) Include qualitative feedback from participants or observations from staff/researchers

Include qualitative feedback from participants or observations from staff/researchers, if available, on strengths and shortcomings of the application, especially if they point to unintended/unexpected effects or uses. This includes (if available) reasons for why people did or did not use the application as intended by the developers.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				



Does your paper address subitem 19-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

DISCUSSION

22) Interpretation consistent with results, balancing benefits and harms, and considering other relevant evidence

NPT: In addition, take into account the choice of the comparator, lack of or partial blinding, and unequal expertise of care providers or centers in each group

22-i) Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use)

Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use).

subitem not at all important 1 2 3 4 5 essential

Does your paper address subitem 22-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Participants in the two arms were both satisfied with the system and the interface design. Compared to Gamification, higher SUS and UI scores were observed among participants assigned to the Neumorphism arm, with over half giving a promoter level score. "



22-ii) Highlight unanswered new questions, suggest future research

Highlight unanswered new questions, suggest future research.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem 22-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

20) Trial limitations, addressing sources of potential bias, imprecision, and, if relevant, multiplicity of analyses

20-i) Typical limitations in ehealth trials

Typical limitations in ehealth trials: Participants in ehealth trials are rarely blinded. Ehealth trials often look at a multiplicity of outcomes, increasing risk for a Type I error. Discuss biases due to non-use of the intervention/usability issues, biases through informed consent procedures, unexpected events.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				



Does your paper address subitem 20-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"This study carried several limitations. Firstly, the use of sensitive sexual behavioural questions might have given rise social desirability bias in responders, for which we have minimised by adopting a self-administered approach. We also used a short recall period to reduce recall bias. Secondly, in a randomised parallel-group design, we were unable to capture participants' preferences by presenting them with both UI designs. Instead we compared the scores between two arms and conducted subgroup analyses to identify associating factors with scores reaching the promoter level. The SUS scores used in this study were collected at test result upload, therefore all participants who did not upload their results were excluded. As the primary goal of the study was to have participants refer their peers to go for self-testing, uploading test result was a necessary step and thus only those who have uploaded a test result were considered to have completed the study procedure and therefore included in the analyses. Thirdly, HIV knowledge was not assessed with conventional validated scale as some of these scales may have been outdated with the recent development of HIV medicine and PrEP. The knowledge questionnaire we designed could however only serve the purpose of identifying knowledge gap in the community that was relevant to the theme of the study. Fourthly, generalisation to other settings with different cultural backgrounds could be limited, particularly for the body image types. Finally, neumorphism has an inherent weakness in accessibility due to the lack of contrast in colour. We did not enquire about users' colour vision; hence, we were unable to consider the impact of colour vision deficiency in the usability of the two UI designs. "

21) Generalisability (external validity, applicability) of the trial findings

NPT: External validity of the trial findings according to the intervention, comparators, patients, and care providers or centers involved in the trial

21-i) Generalizability to other populations

Generalizability to other populations: In particular, discuss generalizability to a general Internet population, outside of a RCT setting, and general patient population, including applicability of the study results for other organizations

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				



Does your paper address subitem 21-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

21-ii) Discuss if there were elements in the RCT that would be different in a routine application setting

Discuss if there were elements in the RCT that would be different in a routine application setting (e.g., prompts/reminders, more human involvement, training sessions or other co-interventions) and what impact the omission of these elements could have on use, adoption, or outcomes if the intervention is applied outside of a RCT setting.

1 2 3 4 5

subitem not at all important essential

Does your paper address subitem 21-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

OTHER INFORMATION

23) Registration number and name of trial registry



Does your paper address CONSORT subitem 23? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"This study is registered in ClinicalTrials.gov (ID: NCT04379206)."

24) Where the full trial protocol can be accessed, if available

Does your paper address CONSORT subitem 24? *

Cite a Multimedia Appendix, other reference, or copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"This study is registered in ClinicalTrials.gov (ID: NCT04379206)."

25) Sources of funding and other support (such as supply of drugs), role of funders

Does your paper address CONSORT subitem 25? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"This study was supported by AIDS Trust Fund (MSS 324 R)."

X27) Conflicts of Interest (not a CONSORT item)



X27-i) State the relation of the study team towards the system being evaluated

In addition to the usual declaration of interests (financial or otherwise), also state the relation of the study team towards the system being evaluated, i.e., state if the authors/evaluators are distinct from or identical with the developers/sponsors of the intervention.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	essential				

Does your paper address subitem X27-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

您的答案

About the CONSORT EHEALTH checklist

As a result of using this checklist, did you make changes in your manuscript? *

- yes, major changes
- yes, minor changes
- no

What were the most important changes you made as a result of using this checklist?

您的答案



How much time did you spend on going through the checklist INCLUDING making changes in your manuscript *

30 minutes

As a result of using this checklist, do you think your manuscript has improved? *

- yes
- no
- 其他:

Would you like to become involved in the CONSORT EHEALTH group?

This would involve for example becoming involved in participating in a workshop and writing an "Explanation and Elaboration" document

- yes
- no
- 其他:

Any other comments or questions on CONSORT EHEALTH

您的答案

STOP - Save this form as PDF before you click submit

To generate a record that you filled in this form, we recommend to generate a PDF of this page (on a Mac, simply select "print" and then select "print as PDF") before you submit it.

When you submit your (revised) paper to JMIR, please upload the PDF as supplementary file.

Don't worry if some text in the textboxes is cut off, as we still have the complete information in our database. Thank you!



Final step: Click submit !

Click submit so we have your answers in our database!

提交

清除表格

請勿透過 Google 表格提交密碼。

Google 並未認可或建立這項內容。 [舉報濫用情況](#) - [服務條款](#) - [私隱權政策](#)

Google 表格

